Cancer – Prostate

Summary of Methods and Data for Estimates of Costs of Illness

1.	Estimated Total Economic Cost	Not Available
	Estimated Direct Cost	\$ 4.7 billion
	Estimated Indirect Cost	Not Available
	Reference Year	1990
	IC Providing the Estimate	NCI
	Direct Costs Include: Other related nonhealth costs	No
	Indirect Costs Include:	
	Mortality costs	No
	Morbidity costs: Lost workdays of the patient	No
	Morbidity costs: Reduced productivity of the patient	No
	Lost earnings of unpaid care givers	No
	Other related nonhealth costs	No
	Interest Rate Used to Discount Out-Year Costs	Not Available
2.	Category code(s) from the International Classification of Diseases, 9th Revision, Clinical	
	Modification, (ICD-9-CM) for all diseases whose costs are included in this estimate: <u>185</u> .	

3. Estimate Includes Costs:

Of related conditions beyond primary, strictly coded ICD-9-CM category No Attributable to the subject disease as a secondary diagnosis No

Of conditions for which the subject disease is an underlying cause No

4. Population Base for Cost Estimate (Total U.S. pop or other)

Total U.S. pop.

5. Annual (prevalence model) or Lifetime (incidence model) Cost: Annual

6. Perspective of Cost Estimate (Total society, Federal budget, or Other) Total Society

7. Approach to Estimation of Indirect Costs Human Capital

8. <u>Source of Cost Estimate</u>: (Reference published or unpublished report, or address and telephone of person/office responsible for estimate)

Brown ML, Fintor L. The economic burden of cancer. In Greenwald P, Kramer BS, Weed DL, eds. Cancer Prevention and Control. New York: Marcel Dekker, Inc., 1995 pp. 69-81.

9. Other Indicators of Burden of Disease:

In 1999, the estimated number of new prostate cancer cases is expected to be 179,300, and the number of deaths is estimated at 37,000 (1). An estimated 311,000 person-years of life were lost in 1995 due to premature mortality from prostate cancer (2). In 1990, the reference year for the cost estimates provided above, for prostate cancer, there were an estimated 106,000 new cases; 32,400 deaths; and 306,000 person-years lost because of premature mortality due to this disease. The following URLs provide additional information on cancer incidence and death rates: http://www.seer.ims.nci.nih.gov/; http://dccps.nci.nih.gov/DCCPS; http://jnci.oupjournals.org/cgi/content/full/91/8/675

10. Commentary:

These estimates were generated by combining estimates of the average life-time cost of cancer for specific organ sites with data on cancer incidence and survival from the National Cancer Institute's Surveillance, Epidemiology and End Results (SEER) program. Primary data on average life-time costs were derived from Medicare claims records for cancer cases diagnosed between 1974 and 1981. Costs were updated to 1990 using the Fixed Weight Price Index from the Health Care Finance Administration.

References

- 1. Cancer Facts & Figures-1999. American Cancer Society.
- 2. Ries LAG, Kosary CL, Hankey BF, Harras A, Miller BA, Clegg L, Edwards BK (eds). SEER Cancer Statistics Review, 1973-1996: Tables and Graphs, National Cancer Institute. Bethesda, MD, NIH Publ. No. 99-2789;1999.